

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## BETADEKOR® SID

Creation date 08th June 2023  
Revision date Version 1.6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** BETADEKOR® SID  
Substance / mixture mixture  
UFI 3R28-KK6X-5009-PAFV
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Other.  
**Main intended use**  
PC-CON-OTH Other construction products  
**The use descriptors**  
SU 19 Building and construction work  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name STOMIX, spol. s r. o.  
Address č.p. 197, Skorošice, SKOROŠICE, 79065  
Czech Republic  
Identification number (CRN) 48400874  
VAT Reg No CZ48400874  
Phone +420584484111  
E-mail info@stomix.cz  
Web address www.stomix.cz
- Competent person responsible for the safety data sheet**  
Name STOMIX, spol. s r. o.  
E-mail info@stomix.cz
- 1.4. Emergency telephone number**  
National poisoning information centre, Beaumont Hospital, PO Box 1297, Beaumont Road Dublin 9, tel: healthcare professionals: +353 (01) 809 2566 (24 hour service), members of public: +353 (01) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week).

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.  
  
Skin Sens. 1A, H317  
Aquatic Chronic 3, H412  
  
Full text of all classifications and hazard statements is given in the section 16.  
**Most serious adverse effects on human health and the environment**  
May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

- 2.2. Label elements**  
**Hazard pictogram**



**Signal word**  
Warning

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## BETADEKOR® SID

Creation date 08th June 2023  
Revision date Version 1.6

### Hazardous substances

octhilinone (ISO)

2-methylisothiazol-3(2H)-one

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

### Hazard statements

H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

P261 Avoid breathing vapours.  
P273 Avoid release to the environment.  
P280 Wear protective gloves.  
P321 Specific treatment (see additional first aid instructions on this label).  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 471-34-1 EC: 207-439-9	calcium carbonate	70	not classified as dangerous	
Index: 649-280-00-1 CAS: 68410-71-9 EC: 270-088-5	Raffinates (petroleum), catalytic reformer ethylene glycol-water countercurrent exts.	15	Asp. Tox. 1, H304 Muta. 1B, H340 Carc. 1B, H350	2, 3
Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7	octhilinone (ISO)	0,00334	Acute Tox. 3, H301+H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0.0015 % ATE Inhalation (dust/mist) = 0,27 mg/l ATE Dermal = 311 mg/kg bw ATE Oral = 125 mg/kg bw	

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



## BETADEKOR® SID

Creation date 08th June 2023  
Revision date Version 1.6

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 613-326-00-9 CAS: 2682-20-4 EC: 220-239-6	2-methylisothiazol-3(2H)-one	≤0,00125	Acute Tox. 3, H301+H311 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) EUH071 Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0.0015 %	
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2 -methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)	0,000155	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A, H317: C ≥ 0.0015 % Skin Irrit. 2, H315: 0.06 % ≤ C < 0.6 % Skin Corr. 1C, H314: C ≥ 0.6 % Eye Dam. 1, H318: C ≥ 0.6 %	1

### Notes

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- Note P: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.
- The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

##### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

##### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

##### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## BETADEKOR® SID

Creation date 08th June 2023  
Revision date Version 1.6

### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Not expected.

#### If on skin

May cause an allergic skin reaction.

#### If in eyes

Not expected.

#### If swallowed

Irritation, nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Content	Packaging type	Material of package
25 kg	bucket	PP

### 7.3. Specific end use(s)

not available

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## BETADEKOR® SID

Creation date 08th June 2023  
Revision date Version 1.6

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

#### 8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

##### Eye/face protection

It is not needed.

##### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

##### Respiratory protection

It is not needed.

##### Thermal hazard

Not available.

##### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	white
Odour	without fragrance
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	The product is non-flammable.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	8,4-10 (10% solution at 20 °C)
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1,8 - 2,0 g/cm <sup>3</sup> at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid - solid: mixture of, paste

#### 9.2. Other information

VOC content: Category A, subcategory I, VOC limit = 200 g/l, BETADEKOR®SID: VOC max.= 15.50 g/l ready-to-use material.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The mixture is non-flammable.

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## BETADEKOR® SID

Creation date 08th June 2023  
Revision date Version 1.6

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

BETADEKOR® SID

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	1806000 mg/kg				Calculation of value
Dermal	ATE	5554000 mg/kg				Calculation of value
Inhalation (vapor)	ATE	10540 mg/l				Calculation of value

octhiline (ISO)

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Inhalation (dust/mist)	ATE	0.27 mg/l				
Dermal	ATE	311 mg/kg bw				
Oral	ATE	125 mg/kg bw				

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### Reproductive toxicity

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### Aspiration hazard

Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## BETADEKOR® SID

Creation date	08th June 2023	Version	1.6
Revision date			

### Acute toxicity

Harmful to aquatic life with long lasting effects.

### More information

Data not available.

### 12.2. Persistence and degradability

Data not available.

### 12.3. Bioaccumulative potential

Not available.

### 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

### Waste management legislation

Waste Management (Amendment) Act, No. 36/2001. European Union (Packaging) Regulations 2014 (S.I. No. 282 of 2014). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### Waste type code

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

### Packaging waste type code

15 01 02 plastic packaging

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### Additional information

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## BETADEKOR® SID

Creation date 08th June 2023  
Revision date Version 1.6

### Air transport - ICAO/IATA

Packaging instructions passenger

213

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety, Health and Welfare at Work (Chemical Agents) (Amendment) Regulations 2021. Health act, 1947. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

Raffinates (petroleum), catalytic reformer ethylene glycol-water countercurrent exts.

Restriction	Conditions of restriction
29	<p>Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:</p> <p>1. Shall not be placed on the market, or used,</p> <ul style="list-style-type: none"><li>— as substances,</li><li>— as constituents of other substances, or,</li><li>— in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:<ul style="list-style-type: none"><li>— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,</li><li>— the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.</li></ul></li></ul> <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:</p> <p>“Restricted to professional users”.</p> <p>2. By way of derogation, paragraph 1 shall not apply to:</p> <ul style="list-style-type: none"><li>(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;</li><li>(b) cosmetic products as defined by Directive 76/768/EEC;</li><li>(c) the following fuels and oil products:<ul style="list-style-type: none"><li>— motor fuels which are covered by Directive 98/70/EC,</li><li>— mineral oil products intended for use as fuel in mobile or fixed combustion plants,</li><li>— fuels sold in closed systems (e.g. liquid gas bottles);</li></ul></li><li>(d) artists’ paints covered by Regulation (EC) No 1272/2008;</li><li>(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.</li><li>(f) devices covered by Regulation (EU) 2017/745.</li></ul>

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## BETADEKOR® SID

Creation date 08th June 2023  
Revision date Version 1.6

Raffinates (petroleum), catalytic reformer ethylene glycol-water countercurrent exts.

Restriction	Conditions of restriction
28	<p>Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:</p> <ol style="list-style-type: none"><li>1. Shall not be placed on the market, or used,<ul style="list-style-type: none"><li>– as substances,</li><li>– as constituents of other substances, or,</li><li>– in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:<ul style="list-style-type: none"><li>– either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,</li><li>– the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.</li></ul></li></ul></li></ol> <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:</p> <p>“Restricted to professional users”.</p> <ol style="list-style-type: none"><li>2. By way of derogation, paragraph 1 shall not apply to:<ol style="list-style-type: none"><li>(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;</li><li>(b) cosmetic products as defined by Directive 76/768/EEC;</li><li>(c) the following fuels and oil products:<ul style="list-style-type: none"><li>– motor fuels which are covered by Directive 98/70/EC,</li><li>– mineral oil products intended for use as fuel in mobile or fixed combustion plants,</li><li>– fuels sold in closed systems (e.g. liquid gas bottles);</li></ul></li><li>(d) artists’ paints covered by Regulation (EC) No 1272/2008;</li><li>(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.</li><li>(f) devices covered by Regulation (EU) 2017/745.</li></ol></li></ol>

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H310+H330	Fatal in contact with skin or if inhaled.
H301+H311	Toxic if swallowed or in contact with skin.

### Guidelines for safe handling used in the safety data sheet

P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P321	Specific treatment (see additional first aid instructions on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## BETADEKOR® SID

Creation date 08th June 2023  
Revision date Version 1.6

P362+P364 Take off contaminated clothing and wash it before reuse.

### A list of additional standard phrases used in the safety data sheet

EUH071 Corrosive to the respiratory tract.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Carc.	Carcinogenicity
Eye Dam.	Serious eye damage
Muta.	Germ cell mutagenicity
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



## BETADEKOR® SID

Creation date	08th June 2023	Version	1.6
Revision date			

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from  
the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.